

Office Product Guide



XEROX® PRINTERS AND MULTIFUNCTION PRINTERS FOR YOUR CUSTOMERS' BUSINESS

xerox™

Color Printers

LETTER



DEVICE SPECIFICATIONS	XEROX® PHASER® 6510		XEROX® VERSALINK® C400		XEROX® VERSALINK® C500		XEROX® VERSALINK® C600	
	Model	ERP	Model	ERP	Model	ERP	Model	ERP
	DN DNI DNM	\$539.00 \$589.00 \$539.00	DN DNM N	\$809.00 \$809.00 \$699.00	DN DNM	\$999.00 \$999.00	DN DNM	\$1,599.00 \$1,599.00
Performance	30 ppm color 30 ppm black		36 ppm color 36 ppm black		45 ppm color 45 ppm black		55 ppm color 55 ppm black	
Engine Speed (up to)	As fast as 12 seconds color		As fast as 13 seconds color		As fast as 10 seconds color		As fast as 8 seconds color	
First-page-out Time	1 GB		2 GB		2 GB		2 GB	
Memory (std / max)	733 MHz		1.05 GHz Dual-core		1.05 GHz Dual-core		1.05 GHz Dual-core	
Processor	50,000 pages/month		85,000 pages/month		120,000 pages/month		120,000 pages/month	
Duty Cycle (max)	Up to 4,000 pages		Up to 8,500 pages		Up to 10,000 pages		Up to 17,000 pages	
Recommended Monthly Print Volume	1200 x 2400 dpi		600 x 600 x 8 dpi enhanced image quality		1200 x 2400 dpi		1200 x 2400 dpi	
Print Quality	Automatic ¹		Automatic ¹		Automatic ¹		Automatic ¹	
Paper Handling	300 / 850 sheets		700 / 1,250 sheets		700 / 3,250 sheets		700 / 3,250 sheets	
Two-sided Output	150 sheets		250 sheets		500 sheets		500 sheets	
Paper Input (std / max)	3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.	
Paper Output (std / max)	60-220 gsm		60-220 gsm		60-220 gsm		60-220 gsm	
Media Sizes	10/100/1000Base-T Ethernet, Wi-Fi 802.11n ¹ , Wi-Fi Direct ¹ , USB 3.0		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Media Weights	Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	
Networking	550-sheet tray, Wireless Network Adapter		550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit		Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit		Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit, Finisher, Mailbox	
Page Description Languages	PANTONE Color calibrated, Xerox® Color Corrections**		PANTONE Color calibrated, Xerox® Color Corrections**		PANTONE Color calibrated, Xerox® Color Corrections**		PANTONE Color calibrated, Xerox® Color Corrections**	
Productivity	Single-pass color LED		Single-pass color laser		Single-pass color laser		Single-pass color laser	
Options¹	One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service	
Warranty								

¹ Standard on certain configurations or available as an option.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Color Printers (cont'd)

TABLOID



DEVICE SPECIFICATIONS	XEROX® VERSALINK® C8000		XEROX® VERSALINK® C9000	
	Model	ERP	Model	ERP
	DT	\$3,949.00	DT	\$6,249.00
	DTM	\$3,949.00	DTM	\$6,249.00
Performance				
Engine Speed (up to)	45 ppm color / 45 ppm black		55 ppm color / 55 ppm black	
First-page-out Time	As fast as 11 seconds color		As fast as 10.5 seconds color	
Memory (std / max)	4 GB		4 GB with 320 GB HDD	
Processor	1.6 GHz Dual-core		1.6 GHz Dual-core	
Duty Cycle (max)	205,000 pages/month		270,000 pages/month	
Recommended Monthly Print Volume	Up to 20,000 pages		Up to 30,000 pages	
Print Quality				
Print Resolution (max)	1200 x 2400 dpi		1200 x 2400 dpi	
Paper Handling				
Two-sided Output	Automatic		Automatic	
Paper Input (std / max)	1,140 / 5,140 sheets		1,140 / 5,140 sheets	
Paper Output (std / max)	500 sheets		500 sheets	
Media Sizes	3.5 x 3.9 to 12.6 x 52 in.		3.5 x 3.9 to 12.6 x 52 in.	
Media Weights	64-300 gsm		64-350 gsm	
Networking				
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	
Page Description Languages	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe PostScript 3		PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe PostScript 3	
Productivity				
Options ¹	Two Tray Module, Tandem Tray Module, High Capacity Feeder, Envelope Tray (Replaces Tray 1), 320 GB Hard Drive, Office Finisher with Optional Booklet Maker and Optional 2/3-Hole Punch, BR Booklet Maker Finisher with 2/3-Hole Punch, Wi-Fi Direct with Optional Wireless Adapter, RFID Kit		Two Tray Module, Tandem Tray Module, High Capacity Feeder, Envelope Tray (Replaces Tray 1), Office Finisher with Optional Booklet Maker and Optional 2/3-Hole Punch, BR Booklet Maker Finisher with 2/3-Hole Punch, Wi-Fi Direct with Optional Wireless Adapter, RFID Kit	
Color Standards	Embedded Spot Color Table, Xerox Color Corrections		Embedded Spot Color Table with the ability to swap out PANTONE® approved color table, custom spot color editor, Xerox® Precise Color Management System Software (optional on C9000DT, standard on GX)	
Print Technology	Single-pass color LED		Single-pass color LED	
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service	

¹ Standard on certain configurations or available as an option.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

Black-and-white Printers

LETTER



DEVICE SPECIFICATIONS	XEROX® B210		XEROX® PHASER® 3330		XEROX® VERSALINK® B400		XEROX® VERSALINK® B600		XEROX® VERSALINK® B610	
	Model	ERP	Model	ERP	Model	ERP	Model	ERP	Model	ERP
	DNI	\$219.00	DNI DNIM	\$429.00 \$429.00	DN DNM	\$919.00 \$919.00	DN DNM	\$1,149.00 \$1,149.00	DN DNM	\$1,499.00 \$1,499.00
Performance										
Engine Speed (up to)	31 ppm		42 ppm		47 ppm		58 ppm		65 ppm	
First-page-out Time	As fast as 8.5 sec.		As fast as 6.5 sec. ²		As fast as 8 sec.		As fast as 6.3 sec.		As fast as 7.1 sec.	
Memory (std / max)	256 MB		512 MB		2 GB		2 GB		2 GB	
Processor	600 MHz		1 GHz		1.05 GHz Dual-core		1.05 GHz Dual-core		1.05 GHz Dual-core	
Duty Cycle (max)	30,000 pgs/mo		80,000 pgs/mo		150,000 pgs/mo		300,000 pgs/mo		300,000 pgs/mo	
Recommended Monthly Print Volume	Up to 4,000 pages		Up to 6,000 pages		Up to 15,000 pages		Up to 25,000 pages		Up to 30,000 pages	
Print Quality										
Print Resolution (max)	Up to 1200 x 1200 dpi enhanced image quality		Up to 1200 x 1200 dpi enhanced image quality		1200 x 1200 dpi enhanced image quality		1200 x 1200 dpi		1200 x 1200 dpi	
Paper Handling										
Two-sided Output	Automatic		Automatic		Automatic ¹		Automatic		Automatic	
Paper Input (std / max)	251 / 251 sheets		300 / 850 sheets		700 / 2,350 sheets		700 / 3,250 sheets		700 / 3,250 sheets	
Paper Output (std / max)	120 sheets		150 sheets		250 sheets		500 sheets (without finishing options)		500 sheets (without finishing options)	
Media Sizes	4.1 x 5.8 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.	
Media Weights	60-220 gsm		60-220 gsm		60-220 gsm		60-220 gsm		60-220 gsm	
Networking Connectivity										
	Hi-Speed USB 2.0, Ethernet 10/100 Base TX (Embedded type) Wireless 802.11.b/g/n		10/100/1000 Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Page Description Languages	PCL 5/6, PostScript 3, XPS		Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	
Productivity Options¹			550-sheet tray		550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit		Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit, Finisher ¹ , Mailbox ¹		Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit, Finisher ¹ , Mailbox ¹	
Print Technology	Laser		Laser		Laser		Laser		Laser	
Warranty	One-year quick exchange, earn free service coverage with Xerox eConcierge® service		One-year depot warranty, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service	

¹ Standard on certain configurations or available as an option.

² Printing from USB.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

Color Multifunction Printers

LETTER



DEVICE SPECIFICATIONS	XEROX® WORKCENTRE® 6515		XEROX® VERSALINK® C405		XEROX® VERSALINK® C505	
	Model	ERP	Model	ERP	Model	ERP
	DN DNI DNM	\$699.00 \$749.00 \$699.00	DN DNM N	\$1,279.00 \$1,279.00 \$1,149.00	S SM X XM	\$2,799.00 \$2,799.00 \$3,299.00 \$3,299.00
Performance	30 ppm color 30 ppm black		36 ppm color 36 ppm black		45 ppm color 45 ppm black	
Engine Speed (up to)	30 ppm color 30 ppm black		36 ppm color 36 ppm black		45 ppm color 45 ppm black	
Memory (std / max)	2 GB		2 GB		4 GB	
Processor	733 MHz		1.05 GHz Dual-core		1.05 GHz Dual-core	
Duty Cycle (max)	50,000 pages/month		85,000 pages/month		120,000 pages/month	
Recommended Monthly Print Volume	Up to 4,000 pages		Up to 8,500 pages		Up to 10,000 pages	
Print	1200 x 2400 dpi		600 x 600 x 8 dpi enhanced image quality		1200 x 2400 dpi	
Resolution	1200 x 2400 dpi		600 x 600 x 8 dpi enhanced image quality		1200 x 2400 dpi	
Page Description Languages	Adobe® PostScript® 3™, PCL 5e, 6, PDF, TIFF		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	
Connectivity	10/100/1000Base-T Ethernet, Wi-Fi 802.11n ¹ , Wi-Fi Direct ¹ , USB 3.0		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Copy	600 x 600 dpi		600 x 600 dpi		600 x 400 dpi	
Resolution (max)	600 x 600 dpi		600 x 600 dpi		600 x 400 dpi	
First-copy-out Time (as fast as)	12 seconds color 12 seconds black		10 seconds color 8 seconds black		7 seconds color 5 seconds black	
Fax	33.6 Kbps		33.6 Kbps		33.6 Kbps	
Speed	33.6 Kbps		33.6 Kbps		33.6 Kbps	
Resolution (max)	400 x 400 dpi		600 x 600 dpi		600 x 600 dpi	
Scan	600 x 600 dpi (optical)		600 x 600 dpi		600 x 600 dpi	
Resolution (max)	600 x 600 dpi (optical)		600 x 600 dpi		600 x 600 dpi	
Scan Destinations	Email, Network, USB Memory Device, WSD, Application, WIA, Mac 10.9 or later, Local PC, Network Computer, Multiple Destinations in a Single Scan Job		Scan to USB, Email, Network (FTP or Browse SMB)		Scan to USB, Email, Network (FTP or Browse SMB)	
Paper Handling	50-sheet Single-pass DADF		50-sheet Single-pass DADF		100-sheet Single-pass DADF	
Document Feeder Type	50-sheet Single-pass DADF		50-sheet Single-pass DADF		100-sheet Single-pass DADF	
Two-sided Output	Automatic ¹		Automatic ¹		Automatic	
Paper Input (std / max)	300 / 850 sheets		700 / 1,250 sheets		700 / 3,250 sheets	
Media Sizes	3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.	
Media Weights	60-220 gsm		60-220 gsm		60-220 gsm	
Productivity	550-sheet tray, Wireless Network Adapter Options ¹		550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit		Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit	
Options ¹	550-sheet tray, Wireless Network Adapter		550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit		Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit	
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service		One-year on-site, earn free service coverage with Xerox eConcierge® service	

¹ Standard on certain configurations or available as an option.

Color Multifunction Printers (cont'd)

LETTER (CONT'D)



TABLOID



DEVICE SPECIFICATIONS	XEROX® VERSALINK® C605		XEROX® VERSALINK® C7020/C7025/C7030		XEROX® ALTALINK® C8030/C8035/C8045/C8055/C8070*	
	Model	ERP	Model	ERP	Model	ERP
	X XL XLM XM	\$4,499.00 \$4,499.00 \$4,499.00 \$4,499.00	C7020/DM C7020/SM C7020/TM C7025/DM C7025/SM C7025/TM C7030/DM C7030/SM C7030/TM	\$5,089.00 \$7,889.00 \$8,649.00 \$6,359.00 \$9,159.00 \$9,919.00 \$7,629.00 \$10,429.00 \$11,189.00	C8030/HF C8030/TF C8035/HF C8035/TF C8045/HF C8055/HF C8070/HF	\$13,099.00 \$12,549.00 \$14,749.00 \$14,199.00 \$16,949.00 \$18,599.00 \$22,449.00
Performance	55 ppm color 55 ppm black		20 / 25 / 30 ppm color 20 / 25 / 30 ppm black		30 / 35 / 45 / 50 / 70 ppm color 30 / 35 / 45 / 55 / 70 ppm black	
Memory (std / max)	4 GB		4 GB		2 MB Cache / 8 GB system memory	
Processor	1.05 GHz Dual-core		1.05 GHz Dual-core		1.91 GHz Quad-core	
Duty Cycle (max)	120,000 pages/month		87,000 / 107,000 / 129,000 pages/month		90,000 / 110,000 / 200,000 / 300,000 / 300,000 pages/month	
Recommended Monthly Print Volume	Up to 17,000 pages		Up to 5,500 to 7,000 pages		Up to 5,000 to 40,000 pages	
Print	1200 x 2400 dpi		1200 x 2400 dpi		1200 x 2400 dpi	
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3		Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)	
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections)		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair		10/100/1000 Base-T Ethernet, USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair	
Copy	600 x 400 dpi		600 x 600 dpi		600 x 600 dpi	
First-copy-out Time (as fast as)	7 seconds color 5 seconds black		9.0 / 9.0 / 7.2 seconds color 6.9 / 6.9 / 5.8 seconds black		8.1 / 8.1 / 7.8 / 7.2 / 5.2 seconds color 6.7 / 6.7 / 6.4 / 5.7 / 4.9 seconds black	
Fax	33.6 Kbps		33.6 Kbps ¹		33.6 Kbps	
Resolution (max)	600 x 600 dpi		600 x 600 dpi ¹		400 x 200 dpi	
Scan	600 x 600 dpi		600 x 600 dpi ¹		600 x 600 dpi	
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)		Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)		Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)	
Paper Handling	100-sheet Single-pass DADF		110-sheet DADF		130-sheet single-pass DADF	
Document Feeder Type	Automatic		Automatic		Automatic	
Two-sided Output	700 / 3,250 sheets		620 / 5,140 sheets		2,180 / 5,140 sheets	
Paper Input (std / max)	3 x 5 to 8.5 x 14 in.		3.5 x 3.9 to 11.7 x 17 in.		3.5 x 3.9 to 12.6 x 19 in.	
Media Sizes	60-220 gsm		60-256 gsm		60-300 gsm	
Media Weights	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher, Mailbox		320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit		High Capacity Feeder (HCF), Envelope Tray, Integrated Office Finisher, Office Finisher LX, Booklet Maker for Office Finisher LX, Hole Punch for Office Finisher LX, Convenience Stapler, Smart Card, Enablement Kit, Xerox® EX-c C8000 Print Server Powered by Fiery®, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, McAfee® Integrity Control Enablement Kit	
Productivity Options¹	One-year on-site, earn free service coverage with Xerox eConcierge® service		90-day on-site		90-day on-site	
Warranty						

¹ Standard on certain configurations or available as an option.

* For Authorized Partners only.

Black-and-white Multifunction Printers

LETTER



DEVICE SPECIFICATIONS	XEROX® B205/B215		XEROX® WORKCENTRE® 3335		XEROX® WORKCENTRE® 3345		XEROX® VERSALINK® B405	
	Model	ERP	Model	ERP	Model	ERP	Model	ERP
	B205/NI B215/DNI	\$269.00 \$349.00	DNI DNIM	\$549.00 \$549.00	DNI DNIM	\$679.00 \$679.00	DN DNM	\$1,149.00 \$1,149.00
Performance								
Engine Speed (up to)	31 ppm		35 ppm		42 ppm		47 ppm	
Memory (std / max)	256 MB		1 GB		1 GB		2 GB	
Processor	600 MHz		1 GHz		1 GHz		1.05 GHz Dual-core	
Duty Cycle (max)	30,000 page/month		50,000 pages/month		80,000 pages/month		110,000 pages/month	
Recommended Monthly Print Volume	Up to 2,500 pages	Up to 3,000 pages	Up to 4,000 pages		Up to 6,000 pages		Up to 12,000 pages	
Print								
Resolution	Up to 1200 x 1200 dpi enhanced image quality		Up to 1200 x 1200 dpi image quality		Up to 1200 x 1200 dpi image quality		1200 x 1200 dpi (enhanced)	
Page Description Languages	PCL 5/6, PostScript 3, XPS		Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG		Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG		PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	
Connectivity	Hi-Speed USB 2.0, Ethernet 10/100 Base TX (Embedded type) Wireless 802.11.b/g/n		10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi		10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Copy								
Resolution (max)	600 x 600 dpi		600 x 600 dpi		600 x 600 dpi		600 x 600 dpi	
First-copy-out Time (as fast as)	14 seconds		13 seconds		13 seconds		6 seconds	
Fax								
Speed	N/A	33.6 Kbps	33.6 Kbps		33.6 Kbps		33.6 Kbps	
Resolution (max)	N/A	300 x 300 dpi	300 x 300 dpi		300 x 300 dpi		600 x 600 dpi	
Scan								
Resolution (max)	4800 dpi enhanced		4800 dpi enhanced		4800 dpi enhanced		600 x 600 dpi	
Scan Destinations	Scan to USB, Scan to Email, Scan to Network (SMB, FTP), Scan to PC, Scan to WSD; File formats include: JPG, TIFF (single and multipage), PDF (single and multipage)		Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/Mac ICA), USB		Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/Mac ICA), USB		Scan to USB, Email, Network (FTP or Browse SMB)	
Paper Handling								
Document Feeder Type	40-sheet ADF		50-sheet ADF		50-sheet RADF		60-sheet RADF	
Two-sided Output	Manual	Automatic	Automatic		Automatic		Automatic	
Paper Input (std / max)	251 / 251 sheets		300 / 850 sheets		300 / 850 sheets		700 / 2,350 sheets	
Media Sizes	4.1 x 5.8 in. to 8.5 x 14 in.		3 x 5 in. to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.		3 x 5 to 8.5 x 14 in.	
Media Weights	60-220 gsm		60-220 gsm		60-220 gsm		60-220 gsm	
Productivity								
Options ¹			550-sheet tray		550-sheet tray		550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit	
Warranty								
	One-year depot, earn free service coverage with Xerox eConcierge® service		One-year depot, earn free service coverage with Xerox eConcierge® service		One-year depot, earn free service coverage with Xerox eConcierge® service,		One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	

¹ Standard on certain configurations or available as an option.

For more information about our family of Xerox® office printers and multifunctions, see your Xerox® reseller or visit www.xerox.com/office.

For more information about EPEAT®, visit www.xerox.com/Eco.

Black-and-white Multifunction Printers (cont'd)

LETTER (CONT'D)



TABLOID



DEVICE SPECIFICATIONS	XEROX® VERSALINK® B605		XEROX® VERSALINK® B615		XEROX® VERSALINK® B7025/B7030/B7035		XEROX® ALTALINK® B8045/B8055/B8065/B8075/B8090*	
	Model	ERP	Model	ERP	Model	ERP	Model	ERP
	X XL XLM XM	\$2,999.00 \$2,999.00 \$2,999.00 \$2,999.00	XL XLM	\$3,999.00 \$3,999.00	B7025/HM B7025/SM B7030/HM B7030/SM B7035/HM B7035/SM	\$7690.67 \$7690.67 \$8,269.00 \$7,299.00 \$9,159.00 \$8,189.00	B8045/HF B8055/HF B8065/HF B8075/HF B8090/HF	\$10,224.67 \$11,547.00 \$14,134.00 \$18,366.00 \$19,712.00
Performance	Engine Speed (up to)		65 ppm		25 / 30 / 35 ppm		45 / 55 / 65 / 75 / 90 ppm	
	Memory (std / max)		2 GB		2 GB		4 GB	
	Processor		1.05 GHz Dual-core		1.05 GHz Dual-core		1.8 GHz Quad-core	
	Duty Cycle (max)		250,000 pages/month		300,000 pages/month		107,000 / 129,000 / 153,000 pages/month	
	Recommended Monthly Print Volume		Up to 20,000 pages		Up to 30,000 pages		175,000 / 200,000 / 250,000 / 300,000 / 400,000 pages/month	
Print	Resolution	1200 x 1200 dpi	1200 x 1200 dpi		1200 x 1200 dpi		1200 x 1200 dpi, 256 shades of gray	
	Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3		PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3		Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)	
	Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair		10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair	
Copy	Resolution (max)	600 x 600 dpi	600 x 600 dpi		600 x 600 dpi		600 x 600 dpi	
	First-copy-out Time (as fast as)	5.8 seconds	5.4 seconds		6.8 / 5.4 / 5.4 seconds		B8045/B8055: 3.8 seconds from the platen/7.4 seconds from the DADF B8065: 3.3 seconds from the platen/7.2 seconds from the DADF B8075: 2.9 seconds from the platen/6.9 seconds from the DADF B8090: 4.9 seconds from the platen/8.7 seconds from the DADF	
Fax	Speed	33.6 Kbps	33.6 Kbps		33.6 Kbps		33.6 Kbps	
	Resolution (max)	600 x 600 dpi	600 x 600 dpi		600 x 600 dpi		400 x 200 dpi	
Scan	Resolution (max)	600 x 600 dpi	600 x 600 dpi		600 x 600 dpi		600 x 600 dpi	
	Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB, Email, Network (FTP or Browse SMB)		Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)		Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)	
Paper Handling	Document Feeder Type	100-sheet single-pass DADF	100-sheet single-pass DADF		110-sheet DADF		200-sheet single-pass DADF	
	Two-sided Output	Automatic	Automatic		Automatic		Automatic	
	Paper Input (std / max)	700 / 3,250 sheets	700 / 3,250 sheets		620 / 5,140 sheets		4,700 / 8,000 sheets	
	Media Sizes	3 x 5 in. to 8.5 x 14 in.	3 x 5 in. to 8.5 x 14 in.		3.5 x 3.87 to 11.69 x 17 in.		4.25 x 5.5 to 11 x 17 in.	
	Media Weights	60-220 gsm	60-220 gsm		60-256 gsm		60-216 gsm	
Productivity Options¹		Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher ¹ , Mailbox ¹	Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher ¹ , Mailbox ¹		320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, Keyboard Kit, McAfee® Integrity Control Enablement Kit		High Capacity Feeder (HCF), HCF Kits, Envelope Tray, Offset Catch Tray, Office Finisher, Office Finisher with Booklet Maker, High Volume Finisher (HVF), HVF with Booklet Maker, C-Fold/Z-Fold Unit for HVF, Post Process Inserter for HVF, Convenience Stapler, Smart Card, Enablement Kit, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, Keyboard Kit, McAfee® Integrity Control Enablement Kit	
Warranty		One-year on-site, earn free service coverage with Xerox eConcierge® service	One-year on-site, earn free service coverage with Xerox eConcierge® service		90-day on-site		90-day on-site	

¹ Standard on certain configurations or available as an option.

* For Authorized Partners only.

©2019 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, ColorQube®, ConnectKey®, Phaser®, VersaLink®, WorkCentre® and Xerox eConcierge® are trademarks of Xerox Corporation in the United States and/or other countries. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. The information in this brochure is subject to change without notice. BR26597 DNPGL-13CA

xerox™